


# PARTER



Jerzy Baran

oświetlenie zewnętrzne

3 x 1,5 min <sup>2</sup>	3 x 1,5 min <sup>2</sup>
--------------------------	--------------------------

YDYP 3

5 mm<sup>2</sup> 

YDYp 3 x 2  
316/003

The schematic shows a common ground rail at the bottom. Four components are connected to this rail:

- B16A**: A component symbol connected via a single wire.
- B16A**: A second component symbol connected via a single wire.
- B10A**: A component symbol connected via a single wire.
- P312/E**: A component symbol connected via a single wire.

**1** OCHRONA OD PORAŻEŃ  
SAMOCZYNNE SZYBKIE WYŁĄCZENIE

ZASILANIA W UKŁADZIE SIECI TN-S

RW

ZAKŁAD USŁUG INWESTYCYJNYCH Elk, ul. Gdańska 15A/27, tel. 6103035		<b>wipro</b>
OBIEKT	Budynek pokoszarowy, ul. Kościuszki	skala 1 : 50
INWESTOR	Urząd Miasta w Elku	data: 01.2000

TYTUŁ RYŚNUNKU	SCHEMAT ZASILANIA KL I		09.01.2008 rys. nr 1
PROJEKTANT	tech. Andrzej Tarazewicz	SLW-3289	09.01.2008 rys. nr 1
WSPÓŁPRACA	tech. Teresa Tarazewicz		